

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

October 15, 2010

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: United States Patent for *Image Shooting Apparatus*
Application No. 10/591,717; Filed March 4, 2005
Patent No. 7,623,781; Issued November 24, 2009
Our File 045616/316564

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "DMH", followed by a large, stylized flourish that extends to the right and slightly upwards.

Donald M. Hill, Jr.
Registration No. 40,646

DMH:mf
Enclosure
LEGAL02/32223384v1

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,623,781 B1

Page 1 of 1

APPLICATION NO. : 10/591,717

ISSUE DATE : November 24, 2009

INVENTOR(S) : Sassa

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17.

Line 22, "**150**" should read --**1501**--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000